Agrobacterium: Soil Microbe, Plant

PathoAGROBACTERIUM FINDS A PLANT

AGROBACTERIUM FINDS A PLANT

Agrobacterium tumefaciens (Agrobacterium for short) is a single-celled microbe that lives in the soil. This microbe has the ability to find a wide range of different plants by moving toward chemicals that are released from naturally occurring plant wounds. Agrobacterium can swim through water films in the soil to reach plants, using structures called flagella, which beat like tails. Although Agrobacterium does not have eyes or ears (these would be of little help in the soil anyway), it does have a number of specialized proteins that identify plant chemicals by acting like a very simple nose, which it uses to sniff out a plant. These proteins allow Agrobacterium to move in the right direction, toward the plant. When Agrobacterium realizes that it is going in the wrong direction, it flaps its flagella randomly, tumbles to point in a new direction, and swims in a straight line. This sequence of swimming and tumbling are repeated until it finds the plant.

Agrobacterium is an expert in communicating with plants, using chemicals rather than words! When the microbe contacts a plant, it releases several different chemicals, which tell the plant to make its surface "sticky." This stickiness allows *Agrobacterium* to attach to the plant and prepare to invade. At this point, the *Agrobacterium* switches on a family of *Vir* (short for "virulence

The ability to infect another organism and cause disease. The word "virulence" gives the name to the Vir genes that help Agrobacterium manipulate plants.

") genes. These *Vir* genes contain the DNA instructions to make all the tools that *Agrobacterium* needs to break into the plant cell and smuggle new DNA into the plant cell's nucleus (which contains the plant's <u>genome</u>

All the DNA instructions that an organism needs to survive and reproduce.

-all of its DNA

GROBACTERIUM TRANSFERS DNA INTO THE PLANT

Agrobacterium has a special circular type of DNA, called a plasmid


<u>A DNA sequence that is separate from other DNA instructions in the genome. It is circular and can be</u> <u>copied and shared between microbes.</u>

. The small section of DNA that *Agrobacterium* wants to transfer into the plant genome (called T-DNA, for transfer DNA), is found within the plasmid. One of the *Vir* genes that is activated when the microbe sticks to the outside of the plant makes a protein called VirD2. VirD2 functions like biological scissors, cutting the T-DNA out of the circular DNA plasmid. VirD2 then attaches to one end of the T-DNA, and drags it into the plant cell, toward the plant nucleus (like a little protein tugboat ... which is also a pair of scissors). Before that can happen, *Agrobacterium* needs to break through the barrier of the plant cell wall. It does this by building a "syringe" with other virulence proteins, called VirB1 through VirB11, and VirD4. Using this protein syringe, *Agrobacterium* injects the T-DNA through the plant cell wall.

Plants have learned to protect themselves against this assault, though. When the plant discovers that *Agrobacterium* is attacking, an army of plant enzymes try to cut up the *Agrobacterium* T-DNA before it can reach the plant cell nucleus. However, *Agrobacterium* is one step ahead, having clothed the T-DNA in a protein armor made of another virulence protein, called VirE2, which prevents the plant enzymes from getting hold of the T-DNA. Once the T-DNA makes it to the plant cell nucleus, it looks for breaks in the DNA (these occur naturally) and inserts itself into the DNA as the plant cell repairs the DNA break. When this happens, the plant cell becomes genetically modified, as it now contains DNA instructions from another organism (the *Agrobacterium*) that will change how the plant behaves and works (Figure 1)—the plant is now a <u>genetically modified organism</u>

An organism that has been beneficially modified through the addition of new DNA instructions.

(GMO)!



- Figure 1 Agrobacterium can manipulate plant cells by inserting new DNA sequences.
- Chemicals from a plant wound attract Agrobacterium and trigger the invasion process. T-DNA is cut from the DNA plasmid in Agrobacterium and is injected into the plant cell. From here, the T-DNA is transported toward the plant cell nucleus, where it is imported and inserted into the plant genome

AGROBACTERIUM MANIPULATES THE PLANT

The T-DNA that *Agrobacterium* inserts into the plant genome contains instructions that will be copied into every cell that develops from this first genetically modified cell. In fact, some of the new DNA instructions stimulate the plant cell to divide and reproduce, forming large galls, which you can see as unusual growths in the plant (Figure 2). This is actually how *Agrobacterium* was first discovered—it was found to cause a plant disease called <u>crown gall</u>

The characteristic growth that can be seen on plants when they have been infected by Agrobacterium.

disease, which limits the growth and yield of crop plants. The *Agrobacterium* T-DNA triggers gall formation by changing the amount of certain plant hormones, which creates a safe environment for the microbe. On top of that, the T-DNA also codes for a recipe: instructions to make *Agrobacterium*'s favorite food. *Agrobacterium* feeds on a family of chemicals that most plants do not know how to make. When the *Agrobacterium* inserts its T-DNA instructions into the plant DNA, it is basically sharing a favorite family recipe with the plant. In summary, *Agrobacterium* invades the plant, manipulates its DNA, and inserts new instructions that tell the plant how to protect and feed it!

While *Agrobacterium* benefits from this interaction, the plant does not. *Agrobacterium* is classed as a <u>pathogen</u>

<u>A pathogen is an organism that causes disease in another organism. Agrobacterium is naturally a</u> <u>pathogen of plants.</u>

, because it causes disease (also known as pathology) in the plant.



- Figure 2 Agrobacterium causes crown gall disease in many plants.
- This picture shows the galled tissue of a mango tree, caused by infection with *Agrobacterium*. When the microbe infects a plant and inserts its DNA, this forces the plant to produce hormones that multiply the cells and gives the plant cells everything they need to feed the pathogen. *Agrobacterium* lives inside the galls.

AGROBACTERIUM CAN HELP US TO IMPROVE PLANTS

From what we have told you so far, you can see that genetic engineering

The process of making known and specific changes to the DNA sequence of an organism; also called genetic modification.

is a natural process that *Agrobacterium* uses to manipulate plants. In fact, there is good evidence that many different plants have kept parts of the T-DNA after *Agrobacterium* infection [2]. Scientists can alter *Agrobacterium* T-DNA to remove all of the instructions that harm the plant, and replace them with new DNA instructions that will help the plant! Many successful plants have resulted from this process: crops that are resistant to insect pests [3]; papaya that is resistant to a devastating virus that would have destroyed farms all over Hawaii [4]; golden rice that is fortified with a chemical that we need to make vitamin A, which could prevent millions of children from going blind [5]; non-browning, healthier potatoes that reduce food waste [6]; and many others (Figure 3).



• Figure 3 - A genetically engineered tomato plant being grown in the laboratory.

• This picture shows a young tomato plant that has been genetically engineered. *Agrobacterium* was used to insert new DNA into small pieces of tomato plant leaf tissue. The modified cells were then encouraged to grow into a plant by changing the amounts of certain hormones available in the specialized gel that we grow the plant cells in. Roots have started to grow from this tomato plant, which will shortly be taken from this protective container and grown in soil.

Despite the many benefits of using *Agrobacterium* to improve crop plants, some groups seek to prevent the use of genetic engineering, and even try to misinform the public about the approach. One of the most common misunderstandings about genetic engineering is the belief that changing the DNA of an organism is unnatural and therefore wrong.

However, *Agrobacterium* has been modifying the DNA of plants long before humans learned how to do it. This shows us that changing DNA sequences is a natural process and part of the world around us. By using *Agrobacterium* to modify plant DNA, we are harnessing a natural process to develop crop plants that need fewer pesticides, are more nutritious, and that yield more food using less land. Using less land is a really important consideration because, if we want to avoid the destruction of natural ecosystems, we need to make sure that our farms are as productive as possible. Genetically engineered crop plants can definitely help us to grow more food from less land, meaning that more ecosystems will be protected. Also, long-term studies confirm that genetically modified crops are safe to eat [7]. Despite what some groups opposed to GMOs say, genetically modified crops are no more dangerous than any other crop we eat!

CONCLUSIONS

Agrobacterium is a soil microbe, a plant pathogen, and a genetic engineer. Through understanding the biology of natural genetic modification, we can better understand the process used to develop genetically modified plants, or other kinds of GMOs. *Agrobacterium* allows us to make beneficial changes to the DNA of plants, which ultimately means we can grow more nutritious food using less land, which protects our environment. If you want to learn more about the process of making a GMO, you can watch the fantastic video by Science IRL at https://www.youtube.com/watch?v=-b_Un-IGSWo.

Glossary

Virulence: \uparrow The ability to infect another organism and cause disease. The word "virulence" gives the name to the *Vir* genes that help *Agrobacterium* manipulate plants.

Genome: \uparrow All the DNA instructions that an organism needs to survive and reproduce.

Plasmid: ↑ A DNA sequence that is separate from other DNA instructions in the genome. It is circular and can be copied and shared between microbes.

Genetically Modified Organism: ↑ An organism that has been beneficially modified through the addition of new DNA instructions.

Crown Gall: ↑ The characteristic growth that can be seen on plants when they have been infected by *Agrobacterium*.

Pathogen: \uparrow A pathogen is an organism that causes disease in another organism. *Agrobacterium* is naturally a pathogen of plants.

Genetic Engineering: ↑ The process of making known and specific changes to the DNA sequence of an organism; also called genetic modification.